



iKnowMedSM Generation 2

e-Prescribing


In this lesson you will learn the steps for e-prescribing a non-controlled substance.

1. Under the **Orders** tab, click on **Medications**.
2. Use the **Order Search** box to find the medication.
3. Click on the medication in the **Search Results** to select.



4. Fill in the prescription details or use the Quick Sig Pick.

iKnowMedSM Generation 2



QUICK SIG PICK SHOW DRUG FORMS Addr: STE 100, 3001

Amoxicillin 250 mg capsule 1 capsule orally 3 times per day; quantity sufficient for 10 days; 0 refills

Amoxicillin 250 mg capsule 1 capsule orally 4 times per day; quantity sufficient for 7 days; 0 refills

Amoxicillin 500 mg capsule 1 capsule orally 2 times per day; quantity sufficient for 7 days; 0 refills

Amoxicillin 500 mg tablet 1 tablet orally 2 times per day; quantity sufficient for 7 days; 0 refills

Amoxicillin 500 mg capsule 1 capsule orally 3 times per day; quantity sufficient for 10 days; 0 refills

Amoxicillin 500 mg tablet 1 tablet orally 3 times per day; quantity sufficient for 10 days; 0 refills

Amoxicillin 500 mg capsule 1 capsule orally 4 times per day; quantity sufficient for 7 days; 0 refills

Amoxicillin 500 mg tablet 1 tablet orally 4 times per day; quantity sufficient for 7 days; 0 refills


Amoxicillin 875 mg tablet 1 tablet orally 2 times per day; quantity sufficient for 10 days; 0 refills

Amoxicillin 500 mg capsule 2 capsule orally 2 times per day; quantity sufficient for 14 days; 0 refills

Amoxicillin 500 mg tablet 2 tablet orally 2 times per day; quantity sufficient for 14 days; 0 refills

Amoxicillin 500 mg capsule 2 capsule orally every 12 hours; quantity sufficient for 14 days; 0 refills

5. If using the Quick Sig Pick, click to select.



Fill Method Does not Chart Comm

☒ eRx CVS 16241 IN TARGET - 7003 SOUTH

☐ Print --Please Select--

☐ Presc CVS 16241 IN TARGET - 7003 SOUTH BR... WAYLER, TX 75703

Prescribing Location DALS - Presbyterian Dallas

6. Select the pharmacy, if the patient has multiple pharmacies, click the drop-down arrow to select.

7. Or you may add a pharmacy by clicking on **Add Pharmacy**.

iKnowMedSM Generation 2

Add Pharmacy

Pharmacy Information

Pharmacy Name

Walgreens

Address

City

State

TX

Zip

Phone

()

Searching on phone ignores all other fields

Pharmacy Type

☐ Retail
 ☐ 24 hour

SEARCH

Search Results 1-100 matches displayed. Please refine your search if the pharmacy is not in this list.

Name	Address	Phone	Fax
Walgreens #04374	10411 WEST AVE, SAN ANTONIO, TX 782131571	2109796575	2109796612
WALGREENS DRUG STORE #00489	5560 WESLAWAY ST, HOUSTON, TX 770051942	7136679349	7136674414
WALGREENS DRUG STORE #00553	5300 N BRAEWOOD BLVD, HOUSTON, TX 770963307	7137211516	7137216527
WALGREENS DRUG STORE #01293	1210 WEDGEWOOD DR, EL PASO, TX 799257629	9155919496	9155915884
WALGREENS DRUG STORE #01518	14402 FM 2100 RD, CROSBY, TX 775326570	2813288097	2813288137
WALGREENS DRUG STORE #02135	6610 TIDWELL RD, HOUSTON, TX 770164824	7136332230	7136334383
WALGREENS DRUG STORE #03095	6895 GRIGGS RD, HOUSTON, TX 770234316	7139212166	7139217774
WALGREENS DRUG STORE #03271	3990 E LUCAS DR, BEAUMONT, TX 777085513	4098982990	4098983471
WALGREENS DRUG STORE #03285	530 W LITTLE YORK RD, HOUSTON, TX 770912422	2814486364	2814482401
WALGREENS DRUG STORE #03507	2126 NALL ST, PORT NECHES, TX 776513716	4097271426	4097270776
	3326 FREDERICKSBURG RD, SAN ANTONIO, TX 782051111		

ADD PHARMACY

REFERRED PHARMACY

CANCEL

8. Using the search boxes, add identifying information to find the pharmacy. Note: Phone numbers, state, pharmacy name, pharmacy address, or a combination of these can be used to search.
9. Click **SEARCH**.
10. Click **ADD PHARMACY**.
11. Click on the pharmacy to select.

Associated problems Create a new problem

- ☐ Acute leukemia, disease (disorder) (C92.40 Acute promyelocytic leukemia, not having achieved remission) **HCC** 13
- ☐ Acute myeloid leukemia, disease (disorder) (C92.00 Acute myeloblastic leukemia, not having achieved remission) **HCC**
- ☐ aHUS - atypical hemolytic uremic syndrome (D59.3 Hemolytic-uremic syndrome) **HCC**
- ☐ Anaplastic thyroid carcinoma (C73 Malignant neoplasm of thyroid gland) **HCC**
- ☐ B-CLL - B-cell chronic lymphocytic leukemia (C91.10 Chronic lymphocytic leukemia of B-cell type not having achieved remission) **HCC**
- ☐ Basal cell carcinoma of skin (disorder)
- ☐ Bladder cancer (C67.1 Malignant neoplasm of dome of bladder) **HCC** 12
- ☐ Bladder cancer (C67.6 Malignant neoplasm of

12. Select the related diagnosis from the **Associated problems** list. Note: This is populated from the Problems Tab.
13. If the problem is not on the list you may **add a new problem**.

iKnowMedSM Generation 2

Acute sinus infection

Minimum 3 characters required for Problem Search

ICD 10

J01.11 - Acute recurrent frontal sinusitis

☐ Principal diagnosis

Status: Active

Date of Diagnosis: 04/22/2022

Resolution Date:

Notes:

SAVE

14. Enter the **problem**, **ICD 10 code** and **Date of Diagnosis**.
15. Click **SAVE**.

04/22/2022 Amoxicillin Oral, 500 mg tablet

Characters used: 32 (Max for eRx=1000)

☒ Allow substitutions

Dispense: 30

Unit: Tablet

Refills: 0

Duration: 10 days

☐ Do Not Bill Drug ☐ Do Not Bill Administration

Prior Authorization #

Location, Chart Comments and Problems

Fill Method

☒ eRx Walgreens #04374 - 10411 WEST AVE, Add Pharmacy

☐ Print Rx - local form printer

☐ Prescribe only - no print

Prescribing Location: DALS - Presbyterian Dallas

Does not appear on Rx

Chart Comments

OK CANCEL NEXT ORDER

16. Click **OK**.

iKnowMedSM Generation 2

☒
Amoxicillin Oral

Amoxicillin Oral 500 mg cap.

R_x 1 capsule orally 3 times per day. **Dispense:** 30 Capsule
Refills: 0 **Duration:** 10 days
Allow Substitution

SIGN & SAVE

18

17. Click the box next to the prescription.

18. Click **SIGN & SAVE**.

This concludes the lesson e-prescribing a non-controlled substance.