
PIMSH 10 Hepatitis B Serology Testing and Prophylactic Treatment

In this lesson you will learn the required documentation for MIPS **#PIMSH 10 Hepatitis B Serology Testing and Prophylactic Treatment Prior to receiving anti-CD20 Targeting Drugs** quality measure.




1. You can see if an **anti-CD20 drug was given in the Flowsheet.** The green "G" indicates the drug was given.




- 2. If the lab results are received via a lab interface, the results can be viewed in the **Flowsheet**.
 - See the attached list of included Hepatitis B lab tests.
 - Note: if a custom lab order has been created and used, it may not be recognized by the coding of the specific labs needed, even if it included Hepatitis B testing.
 - You may manually enter the labs if needed:



- 3. In the **Flowsheet** tab, go to the **Results** tab.
- 4. Click on Result Entry
- 5. Search for the test
- 6. **Select** the test



- 7. Enter the results
- 8. Click SAVE.




NOTE: Another way to update the Hepatitis B test results, is in the diagnosis on the Problem list.


- 9. Go to the **Problems** tab and click on the **diagnosis**.
- 10. In the details section, scroll down to the **Hepatitis B Testing Status**.
- 11. Enter the **results.**
- Click SAVE & CLOSE.

NOTE on diagnosis documentation: While not always required for every MIPS measure, it is always best clinical practice to document all staging, testing, and TNM information as fully as possible. Practices in the Enhancing Oncology Model (EOM) will find this complete, consistent documentation extremely helpful in Clinical Data Element Reporting.


13. If the patient declines the screening, you may Document this by checking the radio button next to **"Declined by patient"**.



14. The results will now be included in the diagnosis details.



15. If the results are positive, the patient must receive antiretroviral medicine prior to the administration of the anti-CD20 therapy.




- 16. Once ordered, the order for an antiretroviral medication can be seen in the Medications tab.
- 17. It must be prior to the administration of the Anti-CD20 treatment.



If the patient already has a Hepatitis B diagnosis, this must be added to the problem list for the patient to be excluded from the measure.

- 18. Go to the problem list.
- Click ADD PROBLEM.



- 18. Search for **Hepatitis B and select.**
- 19. Add date of diagnosis and add details.
- 20. Click SAVE & CLOSE

This concludes the lesson for MIPS **#PIMSH 10 Hepatitis B Serology Testing and Prophylactic Treatment Prior to receiving anti-CD20 Targeting Drugs** quality measure.